- PRODUCT FACTS -

PC

DESIGN BY PIERRE CHARPIN



Pierre Charpin's PC Task Lights series is a collection of refined and precisely engineered task lamps designed to provide focused light where needed. The lamps are constructed in aluminium, with a subtle sheen finish. The functional design conceals gas springs that enable the arms and head to hold their position wherever they are moved, and it features an integrated-touch dimmer switch with a memory function that controls brightness levels and automatically turns off after five hours. The PC Task Lights are available in a variety of size and colour options and are suitable for both contract and domestic markets.

PRODUCT DETAILS

- / Part of a progressive and technologically advanced lighting collection.
- / A family of multifunctional task lamps that can be used free standing, desk, clamp and wall mounted.
- / CE approved.
- / Integrated LED module included with an estimated life span of 25.000 hours of use.
- / Stepless touch dimmer.
- / Concealed gas springs.
- / The lamp is suitable for both private and office environments.
- / Qualified for contract use.

MATERIAL

CONFIGURATIONS



Available in 3 different colours.

/ Soft black (RAL 9004) / Ash grey (RAL 7035)

/ Leaf green* (Pantone 350C)

Note that fixings, gaskets, soft TPE components and the cable are black for all colour options.



*PC Double Arm with table base is available in leaf green. Soft black and ash grey is available in all variants.

DIMENSIONS

DOUBLE ARM WITH TABLE BASE WIDTH / 14 cm / 5.5" DEPTH / 55 cm / 21.7" HEIGHT / 42 cm / 16.5"

DOUBLE ARM WITH CLAMP WIDTH / 14 cm / 5.5" DEPTH / 55 cm / 21.7" HEIGHT / 60,5 cm / 23.8"

DOUBLE ARM WITH WALL BRACKET WIDTH / 14 cm / 5.5" DEPTH / 55 cm / 21.7" HEIGHT / 45 cm / 17.7"

DOUBLE ARM WITH TABLE INSERT WIDTH / 14 cm / 5.5" DEPTH / 55 cm / 21.7" HEIGHT / 42,5 cm / 16.7"

SINGLE ARM WITH WALL BRACKET WIDTH / 14 cm / 5.5" DEPTH / 9 cm / 3.5" HEIGHT / 61 cm / 24"

SINGLE ARM WITH CLAMP WIDTH / 14 cm / 5.5" DEPTH / 9 cm / 3.5" HEIGHT / 62,7 cm / 24.7"













TECHNICAL SPECIFICATIONS

- / LIGHT SOURCE / Integrated LED
- / POWER / 5,7W
- / DIMMABLE / Yes
- / POWER SUPPLY / 220-240V AC at 50-60Hz UK/EU plug mounted adapter
- / CORD LENGTH / 200 cm
- / SWITCH / Stepless touch dimmer

TEST SPECIFICATIONS*

/ FLUX (lumens) / 407lm

- / CCT (kelvin) / 3100k, cool white
- / CRI (1-100) / 85

*Photometrics and the specification shown is taken using the integrated LED bulb fitted in the production luminaire.

PHOTOMETRICS



CERTIFICATIONS

CE approved: This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN / IEC standards which relate specifically to electrical lighting products including:

/ EN 55015:2013 (radio disturbance)

- / EN 61547:2009 (EMC immunity)
- / EN 61000-3-2:2014 (EMC compatibility)
- / EN 61000-3-3:2013 (EMC compatibility)
- / EN 60598-2-4:1997 (portable luminaires)
- / EN 60598-1:2015 (general requirements)
- / EN 62493:2010 (human exposure to EMC)

DOWNLOADS

2D files, 3D files and packshots are available in our imagebank at hay.com.

Care and maintenance instructions and CE attestation of conformity certificates are available at hay.com.

An overview of the complete HAY lighting collection and accessories, can be found at hay.dk/en/contract/products/ lighting.

