Artemide

PRODUCT DATA SHEET

Demetra Micro Table - White 2700K



DESIGN BY:

Naoto Fukasawa

MATERIALS:

aluminium, technopolymer, zamak

DESCRIPTION:

Demetra Micro Table -White 2700K

aluminium, technopolymer,

1747W20A

White

zamak

Design

Indoor

Direct

Demetra micro, in the table and wall version with arm, offers the same freedom of the traditional version, i.e. utmost flexibility in directing light across space. While its power and flow are just slightly reduced compared to the classical version, it has all the same pluses in terms of operation and lighting performance. warm light tone very high Cri 90 light quality maximum performance Dimmable with microswitch located on the appliance's head, it emits warm light with a very high colour yield (Cri 90) Its dimension is therefore minimized to fit into the smallest spaces and to expand the range of potential applications of the entire Demetra family, ideal for work and hospitality locations, as well as for home use.



Light emission





TECHNICAL DATA SHEET

FEATURES

Product name:

Article Code: Colour: Material:

Series: Environment:

OPTICS

Emission:

DIMENSIONS

Length:	cm 13
Width:	cm 12
Height:	cm 14
Diameter:	cm 10
Base Diameter:	cm 12
Max Extension Height:	cm 51
Max Extension Length:	cm 48
Glow Wire Test:	750 °

LAMPS INCLUDED

LED COB
1
6W
2700K
A

LUMINAIR

Watt:
Voltage:
Luminous Flux (Im):
CCT:
Efficiency:
Efficacy:
CRI:
Dimmer Typology:

6W 100-240V 241Im 2700K 49% 40.17Im/W 90 Microswitch Dimmer



COLOUR

Artemide

PRODUCT DATA SHEET

Demetra Micro Table - White 3000K



DESIGN BY:

Naoto Fukasawa

MATERIALS:

aluminium, technopolymer, zamak

DESCRIPTION:

Demetra Micro Table -White 3000K

aluminium, technopolymer,

1747020A

White

zamak

Design

Indoor

Direct

Demetra micro, in the table and wall version with arm, offers the same freedom of the traditional version, i.e. utmost flexibility in directing light across space. While its power and flow are just slightly reduced compared to the classical version, it has all the same pluses in terms of operation and lighting performance. warm light tone very high Cri 90 light quality maximum performance Dimmable with microswitch located on the appliance's head, it emits warm light with a very high colour yield (Cri 90) Its dimension is therefore minimized to fit into the smallest spaces and to expand the range of potential applications of the entire Demetra family, ideal for work and hospitality locations, as well as for home use.

SELECT	
LED	-
Base	-
White	-
PRODUCT CODE	
1747020A	

Light emission





TECHNICAL DATA SHEET

FEATURES

Product name:

Article Code: Colour: Material:

Series: Environment:

OPTICS

Emission:

DIMENSIONS

Length:	cm 13
Width:	cm 12
Height:	cm 14
Diameter:	cm 10
Base Diameter:	cm 12
Max Extension Height:	cm 51
Max Extension Length:	cm 48
Glow Wire Test:	750 °

LAMPS INCLUDED

Category:	LED COB
Number:	1
Watt:	6W
Color temperature (K):	3000K
Class:	A

LUMINAIR

Watt:
Voltage:
Luminous Flux (Im):
CCT:
Efficiency:
Efficacy:
CRI:
Dimmer Typology:

6W 100-240V 257lm 3000K 49% 42.82lm/W 90 Microswitch Dimmer



COLOUR