PRODUCT DATA SHEET PRODUCT CODE: 1254W10A

Pirce Suspension LED 2700K White



DESIGN BY


Giuseppe Maurizio Scutellà

DESCRIPTION

Suspension lamp in painted aluminium. Opening out of a slim disk are fluttering spirals, which fall gently downwards, creating magical effects of form and light.

TECHNICAL DRAWINGS

Dimmerable: + 10-



FEATURES

Article Code:	1254W10A	Material:	Aluminum
Colour:	White	Series:	Design
Installation:	Suspension	Area contract:	Residential
Environment:	Indoor	Emission:	Indirect

DIMENSIONS

Length:	cm 94
Width:	cm 97
Height:	cm 28
May Height from ceiling	cm 200

INCLUDED SOURCES

Category:	LED	Color temperature (K):	2/00K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	44W	CRI:	90

Glow Wire Test:

650

Delivered lumens output (Im):3955lm **Type:** 0 **Class:** A

LUMINAIRE

Watt:	44W	Delivered lumens output	(lm): 3097lm
Voltage:	220V-240V	CCT:	2700K
		Efficiency:	82%
		Efficacy:	70.39lm/W
		CRI:	90
		Dimmable Typology:	Push

Notes

Lamp included.

PRODUCT DATA SHEET PRODUCT CODE: 1254110A

Pirce Suspension LED 3000K White



IP20 ⊕ ∰ ♥ № ©
Dimmerable: + •


DESIGN BY

Giuseppe Maurizio Scutellà

DESCRIPTION

Suspension lamp in painted aluminium. Opening out of a slim disk are fluttering spirals, which fall gently downwards, creating magical effects of form and light.

TECHNICAL DRAWINGS



FEATURES

Article Code:	1254110A	Material:	Aluminum
Colour:	White	Series:	Design
Installation:	Suspension	Area contract:	Residential
Environment:	Indoor	Emission:	Indirect

DIMENSIONS

Length:	cm 94
Width:	cm 97
Height:	cm 28
Max Height from ceiling:	cm 200

INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	44W	CRI:	90

Glow Wire Test:

650

Delivered lumens output (lm):4230lm **Type:** 0 **Class:** A

LUMINAIRE

Vatt:	44W	Delivered lumens output	(lm):3313lm
/oltage:	220V-240V	CCT:	3000K
		Efficiency:	82%
		Efficacy:	75.30lm/W
		CRI:	90
		Dimmable Typology:	Push

Notes

Lamp included.

PRODUCT DATA SHEET PRODUCT CODE: 1256110A

Pirce Mini Suspension LED 3000K White



IP20 ⊕ **(%) (%)** Dimmerable: +**()** -


DESIGN BY

Giuseppe Maurizio Scutellà

DESCRIPTION

Suspension lamp in painted aluminium, extension of the existing Pirce range. Opening out of a slim disk are fluttering spirals, which fall gently downwards, creating magical effects of form and light. Dimmable (SwitchDim)

TECHNICAL DRAWINGS



FEATURES

Article Code:1256110AMaterial:AluminumColour:WhiteSeries:DesignInstallation:Suspension

DIMENSIONS

 Length:
 cm 67
 Impact Resistance:
 N/D

 Width:
 cm 69
 Glow Wire Test:
 650

 Height:
 cm 23

cm 200

INCLUDED SOURCES

Max Height from ceiling:

 Category:
 LED
 Color temperature (K):
 3000 K

 Number:
 1
 Color Tolerance:
 MacAdam 2SDCM

 Watt:
 44W
 CRI:
 90

Delivered lumens output (lm):4230lm **Type:** 0

Class: A

LUMINAIRE

 Watt:
 44W
 Delivered lumens output (lm):3313lm

 Voltage:
 220V-240V
 CCT: 3000K

 Efficiency:
 82%

 Efficacy:
 75.30lm/W

 CRI:
 90

 Dimmable Typology:
 Push

Notes

Lamp included.

PRODUCT DATA SHEET PRODUCT CODE: 1249010A

Pirce Micro Suspension LED 3000K White




DESIGN BY

Giuseppe Maurizio Scutellà

DESCRIPTION

Suspension lamp. Dimmable (Push)

TECHNICAL DRAWINGS



FEATURES

Article Code:	1249010A	Material:	Aluminum
Colour:	white	Series:	Design
Installation:	Suspension		

DIMENSIONS

Length:	cm 46.5	Glow Wire Test:	650
Width:	cm 48		
Height:	cm 13		

cm 200

INCLUDED SOURCES

Max Height from ceiling:

Category:	LED	Color temperature (K):	3000K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	27W	CRI:	90

Delivered lumens output (Im):3200lm Type: 0 Class: A

LUMINAIRE

Watt:	27W	Delivered lumens output (In	n): 2753lm
Voltage:	220V-240V	CCT:	3000K

 Efficiency:
 96%

 Efficacy:
 101.96lm/W

 CRI:
 90

 Dimmable Typology:
 Push