

PAO STEEL FLOOR LAMP

PRODUCT FACT SHEET



HAY

PAO STEEL FLOOR LAMP

DESIGN BY NAOTO FUKASAWA, 2022


The Pao collection of lamps is an exciting collaboration with established Japanese designer Naoto Fukasawa. Named after the soft, glowing shape of traditional Mongolian Pao tents illuminated at night-time, Fukasawa set out to encapsulate the same atmospheric warmth and friendliness in the Pao Steel Floor Lamp. Pao draws on Fukasawa's aesthetic of beautiful simplicity; creating an everyday object that draws on design values existing in the natural world. By keeping the aesthetics modest and simple, he brings the design into harmony with its environment, reinforcing his primary intention of making the atmosphere pleasant and comfortable. The Pao Steel Floor Lamp comprises a weighted steel base and slim stand, with the distinctive shade in steel with a high-gloss finish in different colours.

Designed for using with two replaceable standard retro fit LED bulbs and featuring an on/off floor switch, it provides a flexible output of light with a warm, homely glow. The lamp's functionality and deliberate simplicity of design makes it suitable for a wide range of spaces and uses in domestic and corporate environments.

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- The collection includes a portable lamp, as well as pendants, table and floor lamps in different sizes in high-gloss steel or glass.
- The Pao Steel Floor Lamp is an elegant floor lamp with a high-gloss steel shade that emits an atmospheric glow.
- CE approved.
- Designed for use with a replaceable standard retro fit LED dimmable bulb.
- The lamp is suitable for both private and office environments.
- Qualified for contract use.

DIMENSIONS



DIAMETER 47 CM

HEIGHT 120 CM

MATERIALS

SHADE

Pressed steel with a high-gloss wet spray finish.

DIFFUSER

Injection moulded opalescent acrylic (PMMA).

STEM & BASE TOP

Steel with a powder coated finish.

BASE CONE

Die casted aluminium with a powder coated finish.

BASE BOTTOM

Sand casted iron in powder coated finish.

CORD

Braided fabric cable with a silicone insulation and an on/off inline switch.

COLOUR & FINISH

Please note that the colour codes are indicative.



SOFT BLACK



CREAM WHITE



COOL GREY

TECHNICAL SPECIFICATIONS


| | | | | | |
|--------------------------------------------------------------------------------------------------|----------|------------------------|----|-------------|---------------|
| RECOMMENDED LIGHT SOURCE* | DIMMABLE | POWER SUPPLY | IP | CORD LENGTH | SWITCH |
| 2 x LED E27 (A19) (EU) 2 x LED E26 (US), 10-13W (max. 13W), 1000-1500lm, 2700-3000K warm white | No | 220-240V AC at 50/60Hz | 20 | 270 cm | Inline switch |

*Bulbs not included.

TEST SPECIFICATIONS OUTPUTS*

| | |
|---------------|----------------------------------------------------------------------|
| FLUX (LUMENS) | CCT (KELVIN) & CRI (1-100) |
| 1500lm | The levels will vary depending on the type of bulb used in the lamp. |

PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)