



Rosy Angelis

Designed by Philippe Starck, 1994



Halogen - 150W

Floor lamp providing diffused light. Special ultra-lightweight fabric shade. Aluminum stems. Foam polycarbonate lamp-holder.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

Mounting	ting Floor	
Environments	Indoor dry location	
Light Source Type	Bulb	
Lamp category	Halogen	
Lamp holders	E27	
Ilcos	HSGSA	
Number of heads	1	
Power (W)	150	

Physical

Colour	Grey
Length (mm)	460
Cord length (mm)	2500
Net weight (kg)	1.47
Package height (mm)	0
Package width (mm)	0
Package length (mm)	0
Package volume (m3)	0.07
IP internal	20



Download

业 PDF
⊥ PDF

Photometric Files

LDT / IES



Technical Drawings

2D	₹ ZIP
3D	⊥ ZIP
















Schematic light drawing



Photometric

Lighting type	Indirect, Direct	
Light distribution	Asymmetric	

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No





NOT INCLUDED

RF32564


LED Lamp 11.5W E27 220-240V 3000K A70

NOT INCLUDED

RF32563

LED Lamp 11.5W E27 220-240V 2700K A70

Spare Parts



01.	Rosy Angelis diffuser assembly	F6162009
02.	Diffuser ring nut	RF05257
03.	Protection grid support	RF02179
04.	Protection grid	RF05251
05.	Conical grey leg	RF02787
06.	Accessory kit for leg installation	RF6160200
07.	Rosy Angelis cup	RF05250
08.	Pcb dimmer with small drive	RF04030
	shaft	
09.	Anodized aluminium rod for	RF02178
	dimmer	

DOWNLOAD









F6162009

Rosy Angelis diffuser assembly

RF05257

Diffuser ring nut

RF02179

Protection grid support

RF05251

Protection grid









RF02787

Conical grey leg

RF6160200

Accessory kit for leg installation

RF05250

Rosy Angelis cup

RF04030

Pcb dimmer with small drive shaft

RF02178

Anodized aluminium rod for dimmer

https://professional.flos.com/en/global/product/rosy-angelis-f6160020/

F6160020