

**BESTLITE BL7 // WALL LAMP, CORD WITH SWITCH, EU MODEL**  
Designed by Robert Dudley Best

PRODUCT



Item no.: 001-0710X  
+ style code

DESCRIPTION

Bestlite has been in continuous production since 1930. Robert Dudley Best created Bestlite design. He was highly influenced by the Bauhaus. In the past 80 years, people appreciated the lamps and it decorates many homes, hotels and restaurants worldwide. Loved by architects, designers and design aficionados throughout its 80-year history, today, Bestlite enjoys global iconic status.

VERSION - BESTLITE WALL LAMP BL7

Shade and base: Black, White or Off-White  
Tube and arm: Chrome

RAL codes are indicative.

- Fabric wire - Black:  
- Black / White inside // RAL 9004 / RAL 9003 // Gloss level 20 / Gloss level 20
- Fabric wire - Off-White:  
- Off-White / White inside // RAL 1015 / RAL 9003 // Gloss level 20 / Gloss level 20
- Fabric wire - White:  
- White / White inside // RAL 9003 / RAL 9003 // Gloss level 20 / Gloss level 20


Please contact us for other colours or finishes.

VERSION

Order item - look for part number in the pricelist.

Series contains the following:

**BL5, BL6, BL7, BL10**



COLOURS



// Black / Chrome



// Off-White / Chrome



// White / Chrome

FACTS

MEASUREMENT - L X W X H MM

- Lamp height: 290 mm
- Tube length: - mm
- Shade height: 140 mm
- Shade diameter: Ø160 mm
- Cord - total length w/sw: App. 2400 mm
- Cord - exposed out of lamp: App. 2000 mm

WEIGHT ITEM - LAMP INCL. WIRE

489 g

PACKAGING TYPE

White cardboard box w/ 5ply corrugated

PACKAGING MEASUREMENT - L X W X H CM

L:26 x W:28 x H:20 cm

WEIGHT PACKAGING - MATERIAL TYPE

- Paper Egg crate: 280,5 g
- PE polybag: 60 g
- Cardboard inside: 26 g
- Cardboard outside: 206 g

WEIGHT PACKAGING - TOTAL

1001 g

NUMBER OF PARCELS

1 pcs.

LIGHT SOURCE

- Socket: E14 base
- Recommended light source: *All fluorescens light bulbs*
- Recommended wattage: 9 W = (40 WATT incandescent bulbs)
- Max wattage: 13 W

- Recommended light source: *Halogen light bulb*
- Recommended wattage: 28 W = (40 WATT incandescent bulbs)
- Max wattage: 28 W

- All lamps can be fitted with a dimmer.  
Please contact your local electrician.

- Lightbulb not included

## BESTLITE BL7 // WALL LAMP, CORD WITH SWITCH, EU MODEL

Designed by Robert Dudley Best

### CLEANING AND MAINTENANCE

Use a soft damp cloth when cleaning your Bestlite lamp. Do not use household cleaners.

### ACCESSORIES

Item no.: 001-99058A plug EU

### ENVIRONMENT

-

### TESTS

-

### CERTIFICATION AND LABELS

#### CE-CERTIFIED



STANDARD - (\* = Standard for each country/region)

STOCK - BL7\*

Cord, switch on wallbracket. 2 pin plug

- Euro plug: Type C, 2 PIN, 2,5 amp
- Euro voltage: 230 V
- Frequency: 50 Hz
- Supply voltage: AC power ~
- Normally Closed: IP20



Class II / Double insulated



CE-Mark



Luminaires accepted for mounting on a flammable base

#### KOMPONENTS

Item no.: 001-0710X

- 01 // Shade Ø16 cm.
- 05 // E14 lamp holder
- 10 // Insulating ring
- 11 // Internal shade ring
- 12 // External shade ring
- 13 // Lamp holder cover
- 15 // Universal joint
- 17 // Bestlite arm
- 38 // Textile covered cord
- 41 // Push button switch
- 42 // Cover for push button switch
- 46 // Wall bracket
- 49 // Screw 9x19 mm.
- 51 // Mounting plate Ø7 cm
- 58 // Plug

#### MATERIAL


Shade and base: Powder coated aluminium  
 Tube and arm: Chromed steel  
 Textile covered cord

### INSTALLATION INSTRUCTIONS

The Bestlite key:

It's a practical tool that enables you to fasten the lamp arm. Simply use it like a screwdriver in the slot in the Bestlite nut.

**13 handles for mounting**  
 Cut out an order of photographs and use directly on your wall for accurate placing of the holes.  
 Make sure the photo is fixed to the wall.



**Technical information:**  
 Light source: 1x E14 40W incandescent or 40W halogen bulb.  
 Maximum power consumption: 40W.  
 The lamp is not approved for outdoor use or use in damp/wet rooms.

**Some advice on cleaning your Bestlite:**  
 Powder coated parts - base, bracket and shade:  
 Wash the parts with a damp cloth soaked in warm water and a bit of mild detergent.






**Chrome plated parts:**  
 Wash the chrome plated parts with clean hot soapy water.  
 If the surface is shiny use a bright polish made especially for chromium or other soft metals.

Use only soft cloths for wiping and polishing, never sponges or steel wool.  
 Do not use abrasive household cleaners.  
 Do not use acids or alkaline cleaning materials, glass cleaner or household ammonia.

BESTLITE - GUBI Østergaard 7-4, DK-2100, Copenhagen, Denmark - www.bestlite.com



**BESTLITE**  
 SINCE 1930



Designed by Robert Dudley Best

**PRODUCT**



**COLOURS**



Item no.: 001-0713X  
+ style code

**Don't polish the brass**

**DESCRIPTION**

Bestlite has been in continuous production since 1930. Robert Dudley Best created Bestlite design. He was highly influenced by the Bauhaus. In the past 80 years, people appreciated the lamps and it decorates many homes, hotels and restaurants worldwide. Loved by architects, designers and design aficionados throughout its 80-year history, today, Bestlite enjoys global iconic status.

**VERSION - BESTLITE WALL LAMP BL7**

Shade: Charcoalblack, Matt-White or Grey  
Tube and arm: Brass with lacquered surface

Shade and base: Brass with lacquered surface  
Tube and arm: Brass with lacquered surface

RAL codes are indicative.

- Fabric wire - Black:
- Charcoal black/Brass / White inside // RAL 9011 / RAL 9003 // Gloss level 20 / Gloss level 20
- Grey w/Brass / White inside // RAL 2604005 / RAL 9003 // Gloss level 30 / Gloss level 20
- Brass w/Brass / White inside // - / RAL 9003 // - / Gloss level 20
- Fabric wire - Off-White:
- Matt-White w/Brass / White inside // RAL 9003 / RAL 9003 // Gloss level 20 / Gloss level 20


Please contact us for other colours or finishes.

**VERSION**

Order item - look for part number in the pricelist.

Series contains the following:

**BL5, BL6, BL7, BL10**



**FACTS**

**MEASUREMENT - L X W X H MM**

- Lamp height: 290 mm
- Tube length: - mm
- Shade height: 140 mm
- Shade diameter: Ø160 mm
- Cord - total length w/sw: App. 2400 mm
- Cord - exposed out of lamp: App. 2000 mm

**WEIGHT ITEM - LAMP INCL. WIRE**  
489 g

**PACKAGING TYPE**  
White cardboard box w/ 5ply corrugated

**PACKAGING MEASUREMENT - L X W X H CM**  
L:26 x W:28 x H:20 cm

**WEIGHT PACKAGING - MATERIAL TYPE**

- Paper Egg crate: 280,5 g
- PE polybag: 60 g
- Cardboard inside: 26 g
- Cardboard outside: 206 g

**WEIGHT PACKAGING - TOTAL**  
1001 g

**NUMBER OF PARCELS**  
1 pcs.

**LIGHT SOURCE**

- Socket: E14 base
- Recommended light source: *All fluorescens light bulbs*
- Recommended wattage: 9 W = (40 WATT incandescent bulbs)
- Max wattage: 13 W

- Recommended light source: *Halogen light bulb*
- Recommended wattage: 28 W = (40 WATT incandescent bulbs)
- Max wattage: 28 W

- All lamps can be fitted with a dimmer.  
Please contact your local electrician.

- Lightbulb not included

## BESTLITE BRASS BL7 // WALL LAMP, CORD WITH SWITCH, EU MODEL

BESTLITE COLLECTION

Designed by Robert Dudley Best

### CLEANING AND MAINTENANCE

Use a soft damp cloth when cleaning your Bestlite lamp. Do not use household cleaners.

### ACCESSORIES

Item no.: 001-99058A plug EU

### ENVIRONMENT

-

### TESTS

-

### CERTIFICATION AND LABELS

CE-CERTIFIED



STANDARD - (\* = Standard for each country/region)

STOCK - BL7\*

Cord, switch on wallbracket. 2 pin plug

- Euro plug: Type C, 2 PIN, 2,5 amp
- Euro voltage: 230 V
- Frequency: 50 Hz
- Supply voltage: AC power -
- Normally Closed: IP20



Class II / Double insulated



CE-Mark



Luminaires accepted for mounting on a flammable base

### KOMPONENTS

Item no.: 001-0713X

- 01 // Shade Ø16 cm.
- 05 // E14 lamp holder
- 10 // Insulating ring
- 11 // Internal shade ring
- 12 // External shade ring
- 13 // Lamp holder cover
- 15 // Universal joint
- 17 // Bestlite arm
- 38 // Textile covered cord
- 41 // Push button switch
- 42 // Cover for push button switch
- 46 // Wall bracket
- 49 // Screw 9x19 mm.
- 51 // Mounting plate Ø7 cm
- 58 // Plug

### MATERIAL

Shade: Charcoalblack, White or Grey  
 Tube and arm: Brass with lacquered surface  
 Textile covered cord


Shade and base: Brass with lacquered surface  
 Tube and arm: Brass with lacquered surface  
 Textile covered cord

### INSTALLATION INSTRUCTIONS

The Bestlite key:

It's a practical tool that enables you to fasten the lamp arm. Simply use it like a screwdriver in the slot in the Bestlite nut.

**13 handle for push**  
 Use your screwdriver, pushpin, or use directly on your wall for accurate placing of the hole.  
 Mark on the shaded line & mark



#### Technical information:

Light source: E14 or E27 replacement or with halogen bulb.  
 Not possible if when changing light bulb.  
 The lamp is not approved for outdoor use or use in damp/wet rooms.

Some advice on cleaning your Bestlite:

Provide coated parts - brass, brass and shade.

Wipe the parts with a damp cloth treated in warm water and a bit of mild detergent.

When touching with plastic and when dry for being in fabric.  
 Use a soft cloth to clean the lamp parts. Do not use other cleaning products for protection or other self-healing.

Use only soft cloth for wiping and polishing. Never sponge or steel wool.

Do not use acidic or alkaline cleaning materials, glass cleaner or household solvents.

BESTLITE - GUBI (A/S) // Søndergade 7 A, DK-2100, Copenhagen, Denmark • www.bestlite.com



Use Bestlite key.  
 Complete solution on your Bestlite.  
 The Bestlite key is a practical tool that enables you to fasten the lamp arm. Simply use it like a screwdriver in the slot in the Bestlite nut.  
 The Bestlite key is a practical tool that enables you to fasten the lamp arm. Simply use it like a screwdriver in the slot in the Bestlite nut.

**BESTLITE**  
 SINCE 1920

