

MELT SMALL CHANDELIER



A swarm, huddle, herd, cluster or bunch; there are a thousand ways of configuring our lamps to produce an extraordinary lighting arrangement. The latest additions to the MELT family include the MELT Small Chandelier featuring four orbs protruding from steel tubes and is one metre high. Fitted with our new LED module, our MELT Chandeliers are our attempt to rethink the contemporary chandelier.


MELT SMALL CHANDELIER

Year of Design	2020
Finishing Process	Metallised
Environment	Indoor, IP20
Surface Mount Shape/Diameter	Dome, 25.4cm
Cable Spec	H03VVH2-F 2 x 0,75 mm ² FEP/PVC
Cable Type/Length	Clear, 500cm
Light Source	4 x 6W LED Light Source Included, 220 - 240V
Max Wattage	30W
Lumens	N/A
CRI	>90
Colour Temperature	3000
Dimmability	Mains Dimmable, leading and trailing edge
Spares	4 x LEDRING02; 1 x SLD30-24VL-E
Certifications/Electrical Class	




Additionally Certified for NZ/AUS

CHROME CODE	MEC01CH-CEUM4
Shade Material	Polycarbonate
Shade Finish	Mirrored
Components	4 x MES01CH 1 x LEDC01CHEU
Surface Mount	
Colour/Finish	Chrome, Polished



MELT SMALL CHANDELIER



A swarm, huddle, herd, cluster or bunch; there are a thousand ways of configuring our lamps to produce an extraordinary lighting arrangement. The latest additions to the MELT family include the MELT Small Chandelier featuring four orbs protruding from steel tubes and is one metre high. Fitted with our new LED module, our MELT Chandeliers are our attempt to rethink the contemporary chandelier.


MELT SMALL CHANDELIER

Year of Design	2020
Finishing Process	Metallised
Environment	Indoor, IP20
Surface Mount Shape/Diameter	Dome, 25.4cm
Cable Spec	H03VVH2-F 2 x 0,75 mm ² FEP/PVC
Cable Type/Length	Clear, 500cm
Light Source	4 x 6W LED Light source Included, 220 - 240V
Max Wattage	30W
Lumens	N/A
CRI	>90
Colour Temperature	3000
Dimmability	Mains Dimmable, leading and trailing edge
Spares	4 x LEDRING02; 1 x SLD30-24VL-E
Certifications/Electrical Class	



Additionally Certified for NZ/AUS

COPPER	
Code	MEC01CO-CEUM4
Shade Material	Polycarbonate
Shade Finish	Mirrored
Components	4 x MES01CO 1 x LEDC01GOEU
Surface Mount	
Colour/Finish	Gold, Polished



MELT SMALL CHANDELIER



A swarm, huddle, herd, cluster or bunch; there are a thousand ways of configuring our lamps to produce an extraordinary lighting arrangement. The latest additions to the MELT family include the MELT Small Chandelier featuring four orbs protruding from steel tubes and is one metre high. Fitted with our new LED module, our MELT Chandeliers are our attempt to rethink the contemporary chandelier.


MELT SMALL CHANDELIER

Year of Design	2020
Finishing Process	Metallised
Environment	Indoor, IP20
Surface Mount Shape/Diameter	Dome, 25.4cm
Cable Spec	H03VVH2-F 2 x 0,75 mm ² FEP/PVC
Cable Type/Length	Clear, 500cm
Light Source	4 x 6W LED Light Source Included, 220 - 240V
Max Wattage	30W
Lumens	N/A
CRI	>90
Colour Temperature	3000
Dimmability	Mains Dimmable, leading and trailing edge
Spares	4 x LEDRING02; 1 x SLD30-24VL-E
Certifications/Electrical Class	



Additionally Certified for NZ/AUS

GOLD Code	MEC01GO-CEUM4
Shade Material	Polycarbonate
Shade Finish	Mirrored
Components	4 x MES01G 1 x LEDC01GOEU
Surface Mount Colour/Finish	Gold, Polished



MELT SMALL CHANDELIER



A swarm, huddle, herd, cluster or bunch; there are a thousand ways of configuring our lamps to produce an extraordinary lighting arrangement. The latest additions to the MELT family include the MELT Small Chandelier featuring four orbs protruding from steel tubes and is one metre high. Fitted with our new LED module, our MELT Chandeliers are our attempt to rethink the contemporary chandelier.

MELT SMALL CHANDELIER

Year of Design	2020
Finishing Process	Metallised
Environment	Indoor, IP20
Surface Mount Shape/Diameter	Dome, 25.4cm
Cable Spec	H03VVH2-F 2 x 0,75 mm ² FEP/PVC
Cable Type/Length	Clear, 500cm
Light Source	4 x 6W LED Light Source Included, 220 - 240V
Max Wattage	30W
Lumens	N/A
CRI	>90
Colour Temperature	3000
Dimmability	Mains Dimmable, leading and trailing edge
Spares	4 x LEDRING02; 1 x SLD30-24VL-E
Certifications/Electrical Class	



Additionally Certified for NZ/AUS

SMOKE Code	MEC01SM-CEUM4
Shade Material	Polycarbonate
Shade Finish	Mirrored
Components	4 x MES01SM 1 x LEDC01CHEU
Surface Mount Colour/Finish	Chrome, Polished

