Nur - Suspension - Anthracite grey

IP20

Dimmerable: +−

DESIGN BY

Ernesto Gismondi

DESCRIPTION

TECHNICAL DRAWINGS



FEATURES

Article Code:	A240600	**Material:**	Aluminium, glass
Colour:	Anthracite grey	**Series:**	Design
Installation:	Suspension	**Area contract:**	Hospitality, Office, Residential
Environment:	Indoor	**Emission:**	Direct/indirect

DIMENSIONS

Height:	cm 43	**Glow Wire Test:**	650°C
Base Diameter:	cm 18		
Max Height from ceiling:	cm 220		

NOT INCLUDED SOURCES

Category:	HALO	**Color Rendering:**	1a
Number:	1	**Color temperature (K):**	2900K
Watt:	205W		
Lbs:	Qt32		
Socket:	E27		
Duration (h):	2000h		

ALTERNATIVE SOURCES

Category:	LED
Number:	1
Watt:	21W
Delivered lumens output (lm):	2452lm
Type:	2
Socket:	E27
Class:	A

LUMINAIRE

Watt:	205W	**Delivered lumens output (lm):**	4200lm
Voltage:	220V-240V	**CCT:**	2900K

Notes

As accessory, are available an antidazzle cap and a coloured filter.

ACCESSORIES

NUR FILTRO
COLORATO PER
ALOG 250W*
A249300

NUR CUPOLA
ANTIABBAGL.PER
ALOG 250W*
A249400

Nur LED - Suspension - Anthracite Grey

IP20

Dimmable: +–

DESIGN BY

Ernesto Gismondi

DESCRIPTION

TECHNICAL DRAWINGS



FEATURES

Article Code:	A243300	**Material:**	Aluminium, methacrylate, glass
Colour:	Anthracite grey		
Installation:	Suspension	**Series:**	Design
Environment:	Indoor	**Area contract:**	Hospitality, Office, Residential
		Emission:	Direct/indirect

DIMENSIONS

Height:	cm 43	**Glow Wire Test:**	650°C
Base Diameter:	cm 18		
Max Height from ceiling:	cm 220		

INCLUDED SOURCES

Category:	LED	**Color temperature (K):**	2700K
Number:	1	**Color Tolerance:**	MacAdam 2SDCM
Watt:	37W	**CRI:**	90
Delivered lumens output (lm):	3747lm	**Efficacy:**	103lm/W
Type:	0	**Service Life:**	50000-L70
Class:	A		

LUMINAIRE

Power Supply:	Electronic Integrated	**Delivered lumens output (lm):**	1882lm
Watt:	45W	**CCT:**	2700K
Voltage:	220V-240V	**Efficiency:**	52%
		Efficacy:	41.82lm/W
		CRI:	90
		Dimmable Typology:	Push

Notes

As accessory, are available an antidazzle cap and a coloured filter.