

## Model 597 - Table lamp

Designed by Gianfranco Frattini - 1961



### ITEM NUMBER

Model 597, Table Lamp , Polished Aluminum

10119112

### DESCRIPTION

First released in 1961, the Model 597 by Italian virtuoso Gianfranco Frattini is the lamp that launched him as a lighting designer. Its unique and playful form perfectly encapsulates Frattini's extraordinary approach to the aesthetics of light. Model 597's unique nylon fringes were inspired by both the world of fashion and the fringed entrance curtains commonly found in Italy's bars and grocery stores in the late 1950s. Thanks to the array of lateral bulbs, the Table Lamps emit a 360° play of indirect light, softened by the fringes to create a rich ambient glow, while the reflective aluminum cover adds warmth to the upright. Model 597 is light-hearted in expression, but serious about functionality – bringing sophistication, fun and character to interiors without resorting to superfluous decorative flourishes.

## Materials & Finishes

### SHADE FINISH

Fringes, Viscose



### BASE FINISH

Aluminum, Polished




**CORD SHAPE** Round

**CORD COLOR** Black

---

## Dimensions



<b>LAMP WIDTH</b>	28 cm / 11 in
<b>LAMP DEPTH</b>	28 cm / 11 in
<b>LAMP HEIGHT</b>	29,5 cm / 11.6 in
<b>BASE WIDTH</b>	28 cm / 11 in
<b>BASE DEPTH</b>	28 cm / 11 in
<b>BASE HEIGHT</b>	1,5 cm / 0.6 in
<b>CORD LENGTH</b>	250 cm / 98.4 in
<b>DISTANCE TO SWITCH</b>	60 cm / 23.6 in

---

## Weight

**TOTAL WEIGHT** 1,5 kg / 3.3 lbs

---

<b>Number of parcels</b>	1
<b>PACKAGING LENGTH</b>	33 cm / 13 in
<b>PACKAGING WIDTH</b>	33 cm / 13 in
<b>PACKAGING HEIGHT</b>	35,3 cm / 13.9 in
<b>PACKAGING WEIGHT</b>	0,7 kg / 1.5 lbs
<b>GROSS WEIGHT</b>	2,2 kg / 4.8 lbs

---

## Electrical Specifications

<b>BULB SOCKET</b>	5 x E14
<b>RECOMMENDED BULB</b>	4-6W LED, 470lm. Suggested to use mirrored bulb for top position.
<b>DIMMER</b>	No
<b>SWITCH</b>	On cable. Seperate control of top and base light.
<b>VOLTAGE</b>	240V
<b>BULB INCLUDED</b>	No
<b>PLUG TYPE</b>	EU - Type C, 2pin

---

## Test & Certifications

<b>CERTIFICATION</b>	
<b>ISOLATION CLASS</b>	II
<b>IP CLASSIFICATION</b>	20

---

